GOVERNMENT OF ANDHRA PRADESH <u>ABSTRACT</u>

Public Servants – PR&RD – Allegations of irregularities in execution of road work "NP Road to Kasumuru via Palicherlapadu in Venkatachalam Mandal - Departmental proceedings under Rule 20 of Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991 initiated against Sri K.V. Sreenivasa Rao, the then Assistant Executive Engineer, PR, Venkatachalam, Nellore District – Further action dropped – Orders - Issued.

PANCHAYAT RAJ AND RURAL DEVELOPMENT (Vig.I A) DEPARTMENT

G.O.Rt.No. 1778

Dated:07-12-2009. Read the following:

- 1. From the GA (V&E) Department, Vigilance Report No.115, Dated: 30.9.2003.
- 2. Govt. Memo No.1330/Vig.IA/2003-4, PR&RD (Vig.IA) Dept., Dt. 17.5.2004.
- 3. From Sri K.V. Sreenivasa Rao, the then Assistant Executive Engineer, PR, Venkatachalam, Nellore District, Written Statement of Defence dt.18.6.2004.
- 4. G.O.Rt.No.587, PR&RD (Vig.IA) Dept., Dated: 15.4.2008.
- 5. From Smt. Chandana Khan, IAS, COI, GAD, D.O.Lr.No.901/COI-CK/2008, Dated: 26.8.2008.

ORDER:

Based on the report furnished by the General Administration (V&E) Department in the reference $1^{\rm st}$ read above, a charge was framed in the Memo $2^{\rm nd}$ read above against Sri K.V. Sreenivasa Rao, the then Assistant Executive Engineer, PR, Venkatachalam, Nellore District on the allegations of irregularities in execution road work "NP Road to Kasumuru via Palicherlapadu in Venkatachalam Mandal", Nellore District, with a direction to submit his written statement of defence.

- 2. In the reference 3rd read above, the Charged Officer Sri K.V. Sreenivasa Rao, the then Assistant Executive Engineer, PR, Venkatachalam, Nellore District has submitted his written statement of defence and after examining the same, Government have decided to conduct Departmental enquiry. Accordingly, in the reference 4th read above, Government have appointed Smt. Chandana Khan, IAS, Commissioner of Inquiries, General Administration Department as Enquiry Officer for conducting regular enquiry and the Superintending Engineer, Nellore was appointed as Presenting Officer to present the case before the Commissioner of Inquiries.
- 3. In the reference 5th read above, the Enquiry Officer has submitted his enquiry report. The enquiry officer, in his findings, while stating that since the work was rectified finally and there was no financial loss, has recommended that the matter may be closed by dropping the charges against the Charged Officers.
- 4. Government, after careful examination of the report of the Enquiry Officer, have decided and accordingly drop further action against Sri K.V. Sreenivasa Rao, the then Assistant Executive Engineer, PR, Venkatachalam, Nellore District in this matter.
- 5. The Engineer-in-Chief (PR), Hyderabad shall take further action in the matter.

 (BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

M.V.P.C. SASTRY
PRINCIPAL SECRETARY TO GOVERNMENT

To

Sri K.V. Sreenivasa Rao, the then Assistant Executive Engineer, Venkatachalam, PR, Nellore District through the Engineer-in-Chief (PR), Hyderabad.

(P.T.O.)

The Engineer-in-Chief (PR), Hyderabad.

The General Administration (V&E) Department, BRKR Building, Hyderabad. The Secretary to APVC, Hyderabad. The PR&RD (Estt.III) Department.

//FORWARDED BY ORDER//

SECTION OFFICER